



Appendix A3- Coding Standards

Copyright ©2015 by Linda Marshall and Vreda Pieterse. All rights reserved.

Contents

A3.1	Introduction	2
A3.2	Classification of coding standards	3
A3.3	Typography	3
A3.3.1	Naming conventions	3
A3.3.2	Layout rules	3
A3.4	Clarity	4
A3.4.1	Organisation and Order of presentation	4
A3.4.2	Selection of identifier names	5
A3.4.3	Commenting practices	5
A3.4.4	Control structure style	6
A3.5	Flexibility	6
A3.6	Reliability	7
A3.6.1	Scope and accessibility	7
A3.6.2	User orientation	7
A3.6.3	Avoiding logical and runtime errors	8
A3.7	Efficiency	8
	References	9

A3.1 Introduction

A coding standard can broadly be defined as a set of programming styles and practices to which a group of people adhere, in the belief that such adherence contributes the overall efficiency in producing high quality code that is understandable and maintainable.

There is ample literature that discusses the benefits of having uniform coding styles and standards. Scott Ambler, the Practice Leader Agile Development at IBM Corporation in the IBM Methods group once said:

Inexperienced developers, and cowboys who do not know any better, will often fight having to follow standards. They claim they can code faster if they do it their own way. Pure hogwash. They MIGHT be able to get code out the door faster, but I doubt it. Cowboy programmers get hung up during testing when several difficult-to-find bugs crop up, and when their code needs to be enhanced it often leads to a major rewrite by them because theyre the only ones who understand their code. Is this the way that you want to operate? I certainly do not. [1]

Coding standards are laid down to achieve robust and error free code that is easy to use, understand and maintain. Style is a crucial component of professionalism in software development. Clean code that follows stylistic conventions is easier to read, maintain, and share with colleagues. When a consistent style is used throughout a project, it makes it easier for the developers working on the project to understand each others code. [4] found through empirical studies that the style used when writing or maintaining a program has a direct impact upon the quality of the software and the comprehensibility and maintainability of a program.

Adhering to styles and standards based on good programming practices are not only beneficial for sharing and understanding code among programmers. These practices can also increase the productivity of individual programmers and simplify the evaluation of code written by students. Programmers who code in good style are less likely to have silly bugs and will most likely spend less time developing and debugging their code.

A3.2 Classification of coding standards

Coding standards and guidelines can be classified into the following five broad categories [6]:

Typography: Guidelines and standards in this category deal with layout issues.

Clarity: These are about measures, besides typographic rules, that can enhance the readability and understandability of code.

Flexibility: In the software engineering industry it is paramount that software should be agile and portable. These standards are guidelines to enhance the adaptability and portability of the code.

Reliability: Reliability concerns the production of user-friendly, robust and error-free code. These are guidelines and practices that are aimed at reducing the chances of making common silly programming errors and reducing chances of program malfunction due to user actions.

Efficiency: Efficiency is about writing elegant code that uses its resources sparingly. Standards aimed at efficiency are rules to follow to utilise resources such as memory, CPU time, disk space, etc. efficiently without compromising other resources such as programmer effort and money.

In the following sections each of these categories are discussed in more detail. Specific standards are specified. Many of which are adapted from coding standards specifications by [2].

A3.3 Typography

The purpose of typography is mainly to improve consistency and neatness in the appearance of the code. It enhances program readability.

A3.3.1 Naming conventions

- Use ALL_CAPS for named constants, and camelCase for all other identifier names.
- Identifiers of variables, functions and methods should start with a lowercase letter.
- Class names should be capitalized (start with an initial capital letter).

A3.3.2 Layout rules

- Use indentation and blank lines to reveal the subordinate nature of blocks of code. Each line which is part of the body of a control structure (if, while, dowhile, for, switch) is indented one tab stop from the margin of its controlling line. The same rule applies to function, struct, or union definitions, and aggregate initialisers.

- Use blank lines freely to separate parts of a function or method that are logically distinct.
- Use a blank space around binary operations.
- Leave a blank space after (and not before) each comma, colon or semicolon.
- Every line must fit 80 columns.
- We do not require specific placement of opening and closing braces. We do, however, require consistency. According to [7], any professional programmer will have no hardship to read or write any of the following styles. Choose one of them and use it consistently throughout all the code of one project.

```
int main()
{
    cout << "Programming is great fun!" << endl;
    return 0;
}
```

```
int main(){
    cout << "Programming is great fun!" << endl;
    return 0;
}
```

```
int main()
{
    cout << "Programming is great fun!" << endl;
    return 0;
}
```

- If a hard copy of a program list is printed, insert page-breaks to avoid code blocks to flow onto a next page when printed.

A3.4 Clarity

Clarity is about measures, besides typographic rules, that can enhance the readability and understandability of code. The organisation and order of presentation, the careful selection of identifier names, and the content and writing style of comments play an important role in the clarity of code.

A3.4.1 Organisation and Order of presentation

- When the main function calls functions, they may be defined in the same file. In this case list all function prototypes above the definition of the main function. Their definitions must follow the main function in the same order that their prototypes are listed.
- Functions that are called in the main function may be defined in a different file. In this case list the function prototypes in a header file that is included the file that contains the main function. Their definitions must be included in a separate .cpp file in the same order that their prototypes are listed in the header file.

- In a class definition list all its public members, then all its protected members and lastly all its private members. List methods before instance variables.
- For each class, place the class definition in a header file that is included in the .cpp file that implements the methods of the class. The implementation must be presented in the order they are listed in the header file.
- List and group program sections in a logical order that will enhance comprehension.
- Group program sections to maximise cohesion of sections, and minimise coupling between sections.
- The beginning and end of a program block must fit on one screen. Long code sections can always be defined in terms of a number of smaller functions. Never exceed 30 lines of code in one block.

A3.4.2 Selection of identifier names

Although the compiler only needs a unique character string to identify an entity, programmers also rely on their meaning. Identifier names serve the convenience of readers, and should not serve as a shortcut for the writer.

- Use nouns to name classes and variables.
- Use verbs to name functions and methods.
- Apart from being of the correct word type (noun or verb), it must be reasonably long and descriptive of its purpose in the program.
- Avoid the use of abbreviations (e.g. calc for calculate). Use dictionary words¹. Exceptions to this rule are using single characters or very cryptic variable names for loop counters and for the parameters of a constructor, provided that these variables are used in an accompanying initialiser list. Never use the single characters O or L, and avoid using them as the last character in an identifier. The reason being that these two characters can easily be confused with 0 and 1.
- Avoid the use of names that are too general.

A3.4.3 Commenting practices

Comments are included in code to clarify code and give additional information that cannot be included in the code. The principle is rather to write *self documenting code* than to over comment. It is important to realise that comments cannot rectify bad code. As [4] put it “*Don’t comment bad code - rewrite it*”.

Comments are also used to enhance the clarity of automatically generated documentation. For this reason comments that are embedded in the code should follow the syntax specified by the chosen documentation generator. In our case it is **Doxygen**.

¹Note that this standard may be violated in handwritten code snippets

- Every file containing code must start with a comment containing the name(s) and student numbers of the author(s), the date of last edit as well as the purpose of the file. Use the proper tags for author and date as specified by the documentation generator² of your choice.
- Every function definition must be preceded by a comment that briefly describes what the function does. Use the proper tags defined by the documentation generator of your choice to describe all parameters and the return value of the function/method.
- Avoid redundancy and duplication of what is already clear in the code.
- Make sure comments and code agree. Often programmers change code without updating the accompanying comments. This is unacceptable. Wrong comments is worse than no comments.
- Use a formal writing style to state facts in full sentences that are concise and to the point. Writing concise explanations is often trickier than writing code!

A3.4.4 Control structure style

It is extremely important that other programmers (and yourself after a while) are able to follow the program flow of your code. To aid in this respect, you will find it useful to adhere to the following conventions that are aimed at simplicity and clarity of program flow:

- A function or method must be a pure accessor or a pure mutator. Avoid using reference parameters in value returning functions/methods.
- Use jump statements responsibly. These are `goto`, `break`, `continue` and `return` statements that are intended to short circuit a loop or to leave a function or structure at a point other than its end. It is wise to avoid these as far as possible. Minimise the use of `break` statements in loops, and avoid the use of `continue` statements altogether.
- Prefer the use of `while` loops. Use `for`-loops only when a variable runs from somewhere to somewhere with some constant increment/decrement.
- Avoid confusing programming tricks [5]
- Avoid deep nesting of loops and conditionals[5].

A3.5 Flexibility

Flexibility standards are guidelines to assist programmers to build adaptable and portable code. If code is adaptable it can easily be changed and re-used. If code is portable, it can easily be moved to another platform or environment.

²Javadoc can be used when writing Java code and a package like Doxygen is suitable for C and C++ code

- Avoid the use of magic numbers. A magic number is a numeric constant embedded in code. Rather introduce a named constant. An example of the use of a magic number is when you hard-code 3.14 where π is used in a formula. Rather introduce a named constant (e.g. PI).
- Write your programs in a modular fashion. Functions should be used to split up functionality. This splitting should be done in a logical fashion, grouping similar functionality (that makes sense as a unit) together. Avoid too few, as well as too many functions.
- Apply the object oriented programming principles such as modularity, encapsulation and independence.
- Apply the appropriate design patterns wherever possible.

A3.6 Reliability

Code that is written to be flexible is normally also more reliable simply because the principles to enhance flexibility also contribute to localisation and easier isolation of possible errors, which in turn renders the code less error prone. Furthermore, code that adhere to standards that are aimed at eliminating human error and enhancing usability will contribute to its user-friendliness and consequently be more robust and reliable.

A3.6.1 Scope and accessibility

Many programs suffer from side-effects. These are unexpected behaviour originating from unintended changes of the values of variables in the program. This should be avoided at all costs.

- All non-final variables must be private.
- Keep accessibility as private as possible. Avoid global variables and minimise the use of static variables.
- All features must be explicitly tagged public, protected or private - avoid using the default visibility.
- Define each variable just before it is used, rather than defining all variables at the beginning of a block.
- Avoid having instance variables of a class that could have been defined as helper variables within the implementation.

A3.6.2 User orientation

The robustness of a program is dependent on how well the user understands its use. For this reason one must strive to write user friendly code.

- Always introduce the user to the purpose of the program.
- Avoid clutter on the screen.
- When prompting a user:
 - Be as exact and complete as possible with regard to what would be acceptable input.
 - In command line prompts, end the prompt string with a colon and a space and **no** new line. The user input should be typed on the same line as the prompt.
- When displaying an error message
 - Be consistent in the appearance of different error message throughout the program
 - Be as exact and complete as possible with regard to what went wrong. For example, if a file could not be opened, include the name of the file that could not be opened.

A3.6.3 Avoiding logical and runtime errors

The following good habits may lead to code that are less likely to contain logical errors. It may also contribute to the reduction of common runtime errors such as reference to uninitialised objects (segmentation faults) and overflow or underflow.

- Make sure that objects are initialised before they are used. Best is to provide default values upon declaration [3].
- Test your program with data that include all possible extreme cases as well as all possible user misinterpretation.
- Take compiler warnings seriously [3]. It is important to make sure that before you dismiss a warning, you understand exactly what it's trying to tell you.
- For every class with dynamic instance variables explicitly declare a default constructor, copy constructor, assignment operator and destructor.

A3.7 Efficiency

Efficiency is about writing code that is elegant and at the same time aware of resource usage. You are advised to read *Effective C++* [3] for a comprehensive discussion of specific ways to improve the effectiveness of your code. Adhering to these guidelines will greatly improve your code. However, one should be aware that even when following the guidelines to the letter, it can not guarantee good code. Efficiency is mostly algorithmic based and is inherently situational. Here we mention only a few very prominent ways to avoid gross inefficiency.

- Never declare variables that are not used.

- For each variable use the smallest data type that will comfortably hold the expected extreme values.
- Avoid the need to apply type casting.
- If the same (or very similar) code appears in more than one place in the program, put it in a function that can be called more than once.
- If a number of consecutive lines of code are the same (or very similar) find a way to specify the operation performed by the code using a loop structure.

References

- [1] Scott W. Ambler. Writing robust java code. <http://www.ambysoft.com/downloads/javaCodingStandards.pdf>, January 2000. [Online; accessed 2008-03-29].
- [2] Cay S. Horstmann. *Computing concepts with Java essentials*. Wiley, Hoboken, NJ, 3 edition, 2003. Appendix A1.
- [3] Scott Meyers. *Effective C++: 55 specific ways to improve your programs and designs*. Pearson Education Inc, Upper Saddle River, NJ 074548, 3rd edition, 2005.
- [4] P. W. Oman and C. R. Cook. Typographic style is more than cosmetic. *Communications of the ACM*, 33(5):506–520, 1990.
- [5] Paul W. Oman and Curtis R. Cook. A taxonomy for programming style. In *CSC '90: Proceedings of the 1990 ACM annual conference on Cooperation*, pages 244–250, New York, NY, USA, 1990. ACM. ISBN 0-89791-348-5. doi: <http://0-doi.acm.org.innopac.up.ac.za/10.1145/100348.100385>.
- [6] Vreda Pieterse. Reflections on coding standards in tertiary computer science education : festschrift : dedicated to derrick kourie. *South African Computer Journal*, 41:29–37, December 2008.
- [7] Herb Sutter and Andrei Alexandrescu. *C++ Coding Standards: 101 Rules, Guidelines, and Best Practices (C++ in Depth Series)*. Addison-Wesley Professional, 2004. ISBN 0321113586.